



J103

DETERGENT / DISINFECTANT

TRAINING INSTRUCTIONS:

USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Do not use this product to clean or disinfect glassware, utensils, dishes or interior surfaces of appliances.

DIRECTIONS:

DISINFECTION PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES:

At 3 ounces of this product per gallon of water use level (750 ppm active) and with a contact time of 10 minutes, This product is bactericidal according to the AOAC Use Dilution Test method on hard, non-porous surfaces modified in the presence of 5% organic serum against: *Corynebacterium ammoniagenes*, *Bordetella bronchiseptica*, *Enterobacteriacia* w/beta lactamase resistance, *Enterobacter aerogenes*, *Enterococcus faecalis*, *Enterococcus faecalis* Vancomycin Resistant, *Escherichia coli*, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella schottmuelleri*, *Salmonella typhi*, *Shigella dysenteriae*, *Serratia marcescens*, *Staphylococcus aureus*, *Staphylococcus aureus-MRSA*, *Staphylococcus aureus-VISA*, *Streptococcus salivarius*.

FUNGICIDAL PERFORMANCE:

At 3 ounces of this product per gallon of water use level (750 ppm active) and with a 10-minute contact time, this product was evaluated in the presence of 5% serum and found to be effective against the following on hard, non-porous surfaces: *Trichophyton mentagrophytes*-athlete's foot fungus/a cause of Ringworm.

MOLD AND MILDEW PERFORMANCE:

At 2 ounces of this product per gallon of water use level (500 ppm active) and with a 10-minute contact time, this product was evaluated in the presence of 5% serum and found to control the growth of the following on hard, non-porous surfaces: *Aspergillus niger*. This product is not for use on Medical device surfaces.

PREPARATION OF DISINFECTION/VIRUCIDAL*/FUNGICIDAL USE SOLUTION:

For heavily soiled areas, a preliminary cleaning is required. Add 3 ounces of this product to 1 gallon of water to disinfect hard, non-porous surfaces. Apply use solution using a brush, sponge, cloth, mop, auto scrubber, mechanical spray device, or by immersion so as to thoroughly wet surfaces. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Treated surfaces must remain wet for 10 minutes. Allow to air dry. Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

NON-ACID TOILET BOWL, URINAL & BATHROOM DISINFECTANT/CLEANER DIRECTIONS: FROM CONCENTRATE:

Remove gross filth prior to disinfection. Add 2 ounces of this product directly into the toilet bowl or urinal and mix. Brush thoroughly over exposed surfaces and under the rim with a brush, cloth, mop, or sponge, auto scrubber, or mechanical spray device. Repeat and allow solution to stand for 10 minutes and flush. Change cloth, sponge or towels frequently to avoid redeposition of soil.

MOLD AND MILDEW CONTROL DIRECTIONS:

At 2 ounces of this product per gallon, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces. Apply use solution by cloth, sponge, mop, brush, auto scrubber, or mechanical spray device to thoroughly wet all treated surfaces completely. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Saturate surfaces with use solution. Allow surface to remain wet for 10 minutes. Allow solution to dry on surface and repeat treatment every seven days or when new growth appears. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

GENERAL DEODORIZATION:

To deodorize, add 2 ounces of this product to 1 gallon of water. Allow to air dry.

Reorder / Product Information:

Cat. No. J 103
E.P.A. Reg. No. 10324-57- 68989
E.P.A. Est. No. 68989-MA-1



J103

DETERGENT / DISINFECTANT

TRAINING INSTRUCTIONS:

STORAGE AND DISPOSAL:

CONTAINER DISPOSAL/PESTICIDE STORAGE/PESTICIDE DISPOSAL:

Non-refillable container. Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. Store only in original container. Do not reuse empty container. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously and dispose of rinsate. Repeat two more times. Wrap container and put in trash or offer for recycling if available.

RESIDUE REMOVAL INSTRUCTIONS:

Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

HAZARD STATEMENTS:

Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to Aquatic life. Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENT-PREVENTION:

Do not breathe in dust / fume / gas / mist / vapors / spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves / protective clothing / eye protection / face protection.

PRECAUTIONARY STATEMENTS-RESPONSE:

If in EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If on SKIN or hair: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. If SWALLOWED: Rinse mouth. DO NOT induce vomiting.

PRECAUTIONARY STATEMENTS-DISPOSAL:

Dispose of excess or unused contents/containers to an approved waste disposal plant in accordance with applicable regional, national and local laws and regulations.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:

Eye/face protection: Wear protective eyewear (goggles, face shield or safety glasses), rubber gloves.

Skin and body protection: Wear suitable protective clothing.

Respiratory protection: Ensure adequate ventilation, especially in confined areas.

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice.

POISON CONTROL CENTER

1 (800) 222-1222

IN CASE OF SPILL EMERGENCY TELEPHONE (24hrs)

CHEMTREC 800-424-9300 (USA)

FIRST AID MEASURES:

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

Reorder / Product Information:

Cat. No. J 103
E.P.A. Reg. No. 10324-57- 68989
E.P.A. Est. No. 68989-MA-1

Manufactured by:

Massachusetts Correctional Industries
Questions? Call 508-850-1070